



# CERTIFICATION MPI-86R

## BATCH # 21449

PRODUCT	DESCRIPTION	TYPE	METHOD	SENSITIVITY	FORM	CLASS	APPROVAL DATE
MPI-86R	MAGNETIC PARTICLE	RED	DRY	N/A	POWDER	N/A	10-Feb-2022

We hereby certify that this batch of inspection material when tested following manufacture meets the following:

*Certificamos que este lote de material de inspección cumple con los siguientes requisitos cuando es probado despues de la fabricación:*

- NTR-1 E
- AMS 3040
- API RP 5A5
- ASTM E 709
- ASTM E 1444
- ASTM E 3024
- MIL-STD-1949
- MIL-STD-2132 (SH)
- NAVSEA 250-1500-1
- T9074-AS-GIB-010/271 (MIL-STD-271 SH)
- ASME SE-709, B&PV C DE, Section V, Article 7 & Article 25
- 10 CFR part 21 applies.

PO# \_\_\_\_\_

- Shelf life is 5 years from date of batch approval.  
*Vida útil de garantía son 5 años desde la fecha del "approval date".*
- Batch number is on bulk labels or bottom of aerosol cans.  
*Numeros de lote se encuentran en las etiquetas de los botes a granel o en el fondo de los botes de aerosol.*

Is free of all known Ozone depleting substances and mercury contamination and was not made in any mercury bearing equipment. Does not contain polychlorinated biphenyl (PCB), nonylphenol ethoxylates (NPE), or RoHS banned substances.

*Esta libre de todas sustancias degradantes del ozono, de contaminación de mercurio, y no fue fabricado usando equipo conteniendo mercurio. No contiene polychlorinated biphenyl (PCB), nonylphenol ethoxylates (NPE), o RoHS sustancias prohibidas.*

QUALITY ASSURANCE TESTS	REQUIREMENTS	BATCH RESULTS
Performance	Equal to MLC Standard	Pass

### MET-L-CHEK QUALITY ASSURANCE

BATCH TESTED BY:

DENNIS MASON  
QC CHEMIST

BATCH APPROVED BY:

JUSTINE FORD  
PLANT CHEMIST



Met-L-Chek Company, 2910 Harvard Avenue, Cleveland, OH 44105

T: (216) 441-4900 | F: (216) 441-1377

E: info@met-l-chek.com | W: www.met-l-chek.com